BLOCKAGE & BUILD-UP REMOVAL

AIRCHOC® WIRELESS - MACSYS WIRELESS









INNOVATIVE PROCESSES FOR BULK HANDLING




OUR SOLUTIONS

Powerful and innovative solutions for eliminating clogging and build-up.

We offer preventive solutions to enable you to optimise productivity and help you to recover all your storage capacity.

OUR CUSTOMERS

- Cement plants
- Steel industry
- Foundries
- Thermal power plants
- Cleaning companies
- Glass factories
- Mines and quarries
- Limeworks
- Coke works
- Incineration plants
- Mills
- Food industry
- Petrochemicals
- Chemicals
- **(...)**



ADVANTAGES

- Impact: Aerodynamics of the head / Ratio between the volume of the tank and the diameter of the head output.
- Safety: No blast with air pressure drop.
- Quality: Fully galvanized tank / Cast iron head / Extended lifetime.
- Maintenance: Direct easy access to the mechanism.
- Reliability: Protected quick exhaust valve / Self-aligning piston.

RELATED SERVICES

- Visits & technical recommendations (dimensioning & positioning).
- Supply of the installation drawing.
- We offer complete installation of our equipment if needed.
- Up to 3-year warranty.
- In-house & external training (STANDARD INDUSTRIE training institute: IFSI No. 31 59 05660 59).
- After-sales service & maintenance contract.
- Standards compliance.

OPTIONS

- Stainless steel chamfer piston: Increased lifespan and aggressive atmospheres proof (chemicals, incineration, cement works).
- Pneumatic distributor: Activates AIRCHOC[®]/ MACSYS blasts pneumatically by positive surge.

ACCESSORIES


- Deflectors: Direct the air flows towards sensitive clogging zones - Steel or refractory stainless steel version.
- Insulation device: Secured maintenance operations: high temperature, aggressive products, back flow risk.
- Safety device: Safe use AIRCHOC®/MACSYS (pressure gauge, pressure relief valve, shut-off valve etc.).

40 YEARS
OF EXPERTISE
AT YOUR SERVICE



THINK DIFFERENT, THINK WIRELESS!

LONG DISTANCE TRANSMISSION AND COMMAND POSSIBLE VIA YOUR CONTROLLER



YOUR ANSWER FOR BLOCKAGE & BUILD-UP REMOVAL:

AIRCHOC® WIRELESS

- AIRCHOC® acts directly on the product.
- Compressed air from 4 to 400 L is instantly released through a suitable outlet port.
- **25** to **300mm** nominal outlet diameter.
- 4 versions:
 - Standard.
 - High temperature.
 - ATEX Zone 20.
 - Food-grade stainless steel.
- More than 50,000 AIRCHOC® installations in more than 90 countries.

SOLUTION FOR SECURING AREAS WITH DIFFICULT ACCESS:

MACSYS WIRELESS

- Number of heads 2 to 8.
- Nominal outlet diameter of 100 to 150 mm.
- Tank capacity of 200 L.
- Reinforced metal or rubber flexible tubes.
- 2 configurations available:
 - Standard.
 - High temperature.





























DON'T HESITATE TO CONTACT US!

11 BRANCHES & REPRESENTATIVES AROUND THE WORLD













www.standard-industrie.com